

andare sul sito di java sun:

<http://java.com/en/download/manual.jsp>

1. At the terminal: Type:

su

2. Enter the root password.
3. Change to the directory in which you want to install. Type:

cd <directory path name>

For example, to install the software in the /usr/java/ directory, Type:

cd /usr/java/


Note about root access: To install the JRE in a system-wide location such as /usr/local, you must login as the root user to gain the necessary permissions. If you do not have root access, install the JRE in your home directory or a subdirectory for which you have write permissions.

4. Change the permission of the file you downloaded to be executable. Type:

chmod a+x jre-1_5_0-linux-i586.bin

5. Verify that you have permission to execute the file. Type:

ls -l




```
root@almost:/usr/java
total 15656
-rwx--x--x  1 root  root   16007432 Mar 11 15:05 jre-1_5_0_02-linux-i586-
rpm.bin
[root@almost java]#
```

6. Start the installation process. Type:

./jre-1_5_0-linux-i586.bin

This displays a binary license agreement. Read through the agreement. Press the spacebar to display the next page. At the end, enter **yes** to proceed with the installation.




```
root@almost:/usr/java
E. Third Party Code. Additional copyright notices and license
terms applicable to portions of the Software are set forth in
the THIRDPARTYLICENSEREADME.txt file. In addition to any terms and
conditions of any third party opensource/freeware license identified
in the THIRDPARTYLICENSEREADME.txt file, the disclaimer of warranty
and limitation of liability provisions in paragraphs 5 and 6 of the
Binary Code License Agreement shall apply to all Software in this
distribution.

For inquiries please contact: Sun Microsystems, Inc., 4150 Network
Circle, Santa Clara, California 95054, U.S.A. (LFI#141623/Form
ID#011801)

Do you agree to the above license terms? [yes or no]
yes
```

7. The JRE is installed into its own directory. In this example, it is installed in the

`/usr/java/jre1.5.0` directory. When the installation has completed, you will see the word **Done**.




```
root@almost:/usr/java
File Edit View Terminal Go Help
Creating jre1.5.0_02/lib/rt.jar
Creating jre1.5.0_02/lib/jsse.jar
Creating jre1.5.0_02/lib/charsets.jar
Creating jre1.5.0_02/lib/ext/localedata.jar
Creating jre1.5.0_02/lib/plugin.jar
Creating jre1.5.0_02/lib/javaws.jar
Creating jre1.5.0_02/lib/deploy.jar

Done.
[root@almost java]#
```

8. The JRE is installed in `jre1.5.`(version number) sub-directory under the current directory. In this case, the JRE is installed in the `/usr/java/jre1.5.0` directory. Verify that the **jre1.5.0** sub-directory is listed under the current directory.

Type:
ls



```
root@almost:/usr/java
File Edit View Terminal Go Help
[root@almost java]# ls
jre1.5.0_02  jre-1_5_0_02-linux-1586.bin
[root@almost java]#
```

1. Go to the plugins sub-directory under the Mozilla installation directory
cd <Mozilla installation directory>/plugins
2. In the current directory, create a symbolic link to the JRE `ns7/libjavaplugin_oji.so` file Type:
`ln -s <JRE installation directory>/plugin/i386/ns7/libjavaplugin_oji.so`
Example:
 - If Mozilla is installed in this directory:
`/usr/lib/mozilla-1.4/`
 - and if the JRE is installed at this directory:
`/usr/java/jre1.5.0`
 - Then type at the terminal to go to the browser plug-in directory:
cd /usr/lib/mozilla-1.4/plugins
 - Enter the following command to create a symbolic link to the Java Plug-in for the Mozilla browser.
ln -s /usr/java/jre1.5.0_04/plugin/i386/ns7/libjavaplugin_oji.so ./libjavaplugin_oji.so
3. Start Mozilla browser or restart it if it is already running. Note that if you have other Mozilla components (ie: Messenger, Composer, etc) running, you will need to restart them as well.
4. Go to **Edit > Preferences**. Under **Advanced** category > Select **Enable Java**